

8" HEXAGON CARRARA BELLA (H) *Stone, Marble*



PART NUMBER

MB1604-HEX8H0

PROFILE

TILE

AVAILABILITY

IN STOCK

DIMENSIONS

7.81" x 9.00" Hexagon = .366 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT HEX CARRARA BELLA (H) W/ GRAY TERRAZZO *Stone, Marble, Terrazzo*



PART NUMBER
MB1604-HEX8H1

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.81" x 9.00" Hexagon = .366 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT HEX CARRARA BELLA (H) W/ GRAY TERRAZZO & STAINLESS STEEL *Stone, Marble, Metal, Te*



PART NUMBER
MB1604-HEX8H2

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.81" x 9.00" Hexagon = .366 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

8" HEXAGON OMBRA (H) *Stone, Marble*



PART NUMBER
MB2426-HEX8H0

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.81" x 9.00" Hexagon = .366 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT HEX OMBRA (H) W/ SHADOW TERRAZZO *Stone, Marble, Terrazzo*



PART NUMBER
MB2426-HEX8H1

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.81" x 9.00" Hexagon = .366 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT HEX OMBRA (H) W/ SHADOW TERRAZZO & BRASS *Stone, Marble, Metal, Terrazzo*



PART NUMBER
MB2426-HEX8H2

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.81" x 9.00" Hexagon = .366 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	No	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

8" HEXAGON THASSOS (H) *Stone, Marble*



PART NUMBER
MB1232-HEX8H0

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.81" x 9.00" Hexagon = .366 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT HEX THASSOS (H) W/ WHITE TERRAZZO *Stone, Marble, Terrazzo*



PART NUMBER
MB1232-HEX8H1

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.81" x 9.00" Hexagon = .366 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT HEX THASSOS (H) W/ WHITE TERRAZZO & STAINLESS STEEL *Stone, Marble, Metal, Terrazzo*



PART NUMBER
MB1232-HEX8H2

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.81" x 9.00" Hexagon = .366 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT ARROW CARRARA BELLA (H) W/ GRAY TERRAZZO *Stone, Marble, Terrazzo*



PART NUMBER
MB1604-0909H0

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
8.90" x 8.90" = .550 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT ARROW OMBRA (H) W/ SHADOW TERRAZZO *Stone, Marble, Terrazzo*



PART NUMBER
MB2426-0909H0

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
8.90" x 8.90" = .550 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT ARROW THASSOS (H) W/ WHITE TERRAZZO *Stone, Marble, Terrazzo*



PART NUMBER
MB1232-0909H0

PROFILE
TILE

AVAILABILITY
COMING SOON

DIMENSIONS
8.90" x 8.90" = .550 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT DIAGONAL OMBRA (H) W/ SHADOW TERRAZZO *Stone, Marble, Terrazzo*



PART NUMBER
MB2426-0808H0

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.99" x 7.99" = .443 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT DIAGONAL OMBRA (H) W/ SHADOW TERRAZZO & BRASS *Stone, Marble, Metal, Terrazzo*



PART NUMBER
MB2426-0808H1

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.99" x 7.99" = .443 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	No	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT DIAGONAL THASSOS (H) W/ WHITE TERRAZZO *Stone, Marble, Terrazzo*



PART NUMBER
MB1232-0808H0

PROFILE
TILE

AVAILABILITY
COMING SOON


DIMENSIONS
7.99" x 7.99" = .443 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

NEXT DIAGONAL THASSOS (H) W/ WHITE TERRAZZO & STAINLESS STEEL *Stone, Marble, Metal, T*



PART NUMBER
MB1232-0808H1

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.99" x 7.99" = .443 sqft

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	Yes	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.