
AKDO ETHEREAL Scintillating. Graphic. Breathtaking. Bring home the light. Far Beyond the Surface



Nova




Ethereal Nova Calacatta w/ Brass (H)

MB1203-NOVAH0



Ethereal Nova Carrara Bella (H) w/ Stainless Steel

MB1604-NOVAHO



Stella



Ethereal Stella Calacatta (H) w/ Brass MB1203-STLAH0



Ethereal Stella Carrara Bella (H) w/ Stainless Steel

MB1604-STLAH0



Luna




Ethereal Luna Calacatta (H) w/ Brass

MB1203-LUNAH0



Ethereal Luna Carrara Bella (H) w/ Stainless Steel MB1604-LUNAH0



Triangle



Ethereal Flicker Calacatta (H)

w/ Brass

MB1203-FLCKH0



Ethereal Flicker Carrara Bella (H)

w/ Stainless Steel

MB1604-FLCKH0



Ethereal Gleam Calacatta (H)

w/ Brass

MB1203-GLAMH0



Ethereal Gleam Carrara Bella (H) w/ Stainless Steel MB1604-GLAMH0



Ethereal Prism Calacatta (H)

w/ Brass

MB1203-PRSMH0



Ethereal Prism Carrara Bella (H) w/ Stainless Steel MB1604-PRSMH0




Ethereal Triangle Calacatta (H)

MB1203-AURAHO



Ethereal Triangle Carrara Bella (H)

MB1604-AURAHO



CONVERSION CHART

PROFILE	SIZE
Stella	$10.25'' \times 8.75'' = .63 \text{ sqft}$
Nova	$16'' \times 11-1/4'' = 1.25 \text{ sqft}$
Luna	$12'' \times 12'' = 1 \text{ sqft}$
Prism	8'' equilateral = .19 sqft
Flicker	8'' equilateral = .19 sqft
Gleam	8'' equilateral = .19 sqft
Ethereal Triangle	8'' equilateral = .19 sqft

APPLICATIONS - ETHEREAL MOSAICS WITHOUT METAL

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	Yes, if sealed properly	Yes, if sealed properly	No

APPLICATIONS - ETHEREAL MOSAICS WITH BRASS*

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	No	No

APPLICATIONS - ETHEREAL MOSAICS WITH STAINLESS STEEL*

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	Yes, if sealed properly	No

TECHNICAL DATA

FEATURES	RESULT
Heat Resistance	Heat not to exceed 293° F
Traffic	Standard Commercial

^{*}As a natural material, brass is prone to oxidation; a chemical reaction that occurs over time from exposure to air. Both stainless steel and brass may scratch when used as floor covering.

For detailed installation guidelines, visit akdo.com.

AKDO

1435 State Street Bridgeport, CT 06605 1.800.811.2536 203.336.5199 (o) 203.336.0603 (f)

AKDO NYC

22 West 21st Street New York, NY 10010 1.800.811.2536 212.485.0448 (o) 212.485.0449 (f)

AKDO Pacific

3445 Arden Road Hayward, CA 94545 1.888.909.2536 510.785.2536 (o) 510.785.0895 (f)

akdo.com

