

AKDO™


LUMINOUS

*Rich. Radiant. Refined. Refreshed.
Distinctively modern classics.*



Far Beyond the Surface





Beam Calacatta (H) with Gold
MB1203-DS0800



Beam Calacatta (H&P)
MB1203-DS0801



Beam Thassos (H) with Silver
MB1232-DS08H0



Beam Carrara (H&P)
MB1130-DS08H0



Beam Ash Gray (H&P)
MB1809-DS0800

LUMINOUS

Daybreak



Daybreak Calacatta (H) with Gold (Combed)
MB1203-DAYBHO



Daybreak Calacatta (H & Combed)
MB1203-DAYBH1



Daybreak Thassos (H) with Silver (Combed)
MB1232-DAYBHO



Daybreak Carrara (H & Combed)
MB1130-DAYBHO



Daybreak Ash Gray (H & Combed)
MB1809-DAYBHO







Ray Calacatta (H) with Gold (Combed)
MB1203-RAYOHO



Ray Calacatta (H, P and Combed)
MB1203-RAYOH1



Ray Thassos (H) with Silver (Combed)
MB1232-RAYOHO




Ray Carrara (H, P and Combed)
MB1130-RAYOHO



Ray Ash Gray (H, P and Combed)
MB1809-RAYOHO





LUMINOUS

Rise



Rise Calacatta (H) with Gold (Combed)
MB1203-RISEHO



Rise Calacatta (H & Combed)
MB1203-RISEH1



Rise Thassos (H) with Silver (Combed)
MB1232-RISEHO



Rise Carrara (H & Combed)
MB1130-RISEHO



Rise Ash Gray (H & Combed)
MB1809-RISEHO

Product shown on previous spread: Shine Calacatta (H) with Gold
Product shown: Rise Thassos (H) with Silver (Combed)





Shine



Shine Calacatta (H) with Gold
MB1203-SHNEH1



Shine Calacatta (H & P)
MB1203-SHNEHO



Shine Thassos (H) with Silver
MB1232-SHNEHO



Shine Carrara (H & P)
MB1130-SHNEHO



Shine Ash Gray (H & P)
MB1809-SHNEHO



CONVERSION CHART

PROFILE	SIZE
Beam	8" x 8" = .444 sqft
Daybreak	8.25" x 10.5" = .588 sqft
Ray	10.19" x 9.75" = .689 sqft
Rise	11.02" x 11.77" = .90 sqft
Shine	7.72" x 8.89" = .37 sqft

TECHNICAL FEATURES – LUMINOUS MOSAICS WITH METALLIC DETAILS

Floor	Wall	Backsplash	Fireplace	Frost Resistant	Indoor	Wet Area	Steam Shower	Sealer	Drylay
No	Yes	Yes*	Yes*	No	Yes	Yes, if sealed properly	No	Yes	Yes

TECHNICAL FEATURES – LUMINOUS MOSAICS WITHOUT METALLIC DETAILS

Floor	Wall	Backsplash	Fireplace	Frost Resistant	Indoor	Wet Area	Steam Shower	Sealer	Drylay
Yes	Yes	Yes	Yes	No	Yes	Yes, if sealed properly	Yes, if sealed properly	Yes	Yes

*Heat not to exceed 293° F

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation guidelines, visit akdo.com

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.336.0603 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
212.485.0449 (f)

AKDO Pacific

3445 Arden Road
Hayward, CA 94545
1.888.909.2536
510.785.2536 (o)
510.785.0895 (f)

akdo.com