

3" X 6" ASH GRAY (P) *Marble, Stone*



PART NUMBER
MB1809-0306PO

PROFILE
TILES

AVAILABILITY
IN STOCK

VARIATION
MEDIUM

DIMENSIONS
3" x 6" = .125 sqft (+/-)

THICKNESS

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

3" X 9" ASH GRAY (H) *Stone, Marble*



PART NUMBER
MB1809-0309H0

AVAILABILITY
IN STOCK

DIMENSIONS
2.95" x 9" = .18 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	Yes	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

2" X 8" ASH GRAY (H) *Marble, Stone*



PART NUMBER
MB1809-0208HO

AVAILABILITY
IN STOCK

DIMENSIONS
1.97" x 7.87" = .108 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

4" X 12" ASH GRAY (P) *Marble, Stone*



PART NUMBER
MB1809-0412PO

AVAILABILITY
IN STOCK

DIMENSIONS
4" x 12" = .333 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

4" X 12" ASH GRAY (P) *Marble, Stone*



PART NUMBER
MB1809-0412PO

AVAILABILITY
IN STOCK

DIMENSIONS
4" x 12" = .333 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" X 12" ASH GRAY (H) *Marble, Stone*



PART NUMBER
MB1809-1212HO

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" X 24" ASH GRAY (H) *Marble, Stone*



PART NUMBER
MB1809-1224HO

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 24" = 2 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" X 24" ASH GRAY (P) *Marble, Stone*



PART NUMBER
MB1809-1224PO

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 24" = 2 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

18" X 36" ASH GRAY (H) *Marble, Stone*



PART NUMBER
MB1809-1836H0

PROFILE
TILES,LARGE FORMAT

AVAILABILITY
IN STOCK

DIMENSIONS
18" x 36" = 4.5 sqft (+/-)

THICKNESS
1/2"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

HEXAGON 3-7/8 ASH GRAY (H) *Stone, Marble*



PART NUMBER
MB1809-HEX3H0

AVAILABILITY
IN STOCK

DIMENSIONS
7.88" x 10.25" = .56 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/8"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

HEXAGON ASH GRAY (H) *Stone, Marble*



PART NUMBER
MB1809-HEXAH0

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 10.13" = .69 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/8"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

HEXAGON ASH GRAY (P) *Stone, Marble*



PART NUMBER
MB1809-HEXAPO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 10.13" = .69 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/8"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

1" X 4" HERRINGBONE ASH GRAY (H) *Stone, Marble*



PART NUMBER
MB1809-HB14H0

AVAILABILITY
IN STOCK

DIMENSIONS
9" x 11.5" = .72 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
Water absorption	d	UNE-ENISO-10545-3
Chemical resistance	asd	UNE-ENISO-10545-13
DCOF	_____	ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

1" X 4" HERRINGBONE ASH GRAY (P) *Stone, Marble*



PART NUMBER
MB1809-HB14P0

AVAILABILITY
IN STOCK

DIMENSIONS
9" x 11.5" = .72 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

BASKET WEAVE ASH GRAY (H) W/ THASSOS (H) *Stone, Marble*



PART NUMBER
MB1809-BASIHO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 9.75" = .66 sqft

THICKNESS
5/16"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

BASKET WEAVE ASH GRAY (P) W/ THASSOS (P) *Stone, Marble*



PART NUMBER
MB1809-BASIPO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 9.75" = .66 sqft

THICKNESS
5/16"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

2" X 2" ASH GRAY (H) *Stone, Marble*



PART NUMBER
MB1809-M002H0

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

IVY ASH GRAY (H&P) *Stone, Marble*



PART NUMBER
MB1809-IVY000

AVAILABILITY
IN STOCK

DIMENSIONS
9.88" x 11.75" = .81 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

PENNY ROUND ASH GRAY (H) *Stone, Marble*



PART NUMBER
MB1809-PENYHO

AVAILABILITY
IN STOCK

DIMENSIONS
11.63" x 12" = .97 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
LOW

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

STAGGER ASH GRAY (H&P) *Stone, Marble*



PART NUMBER
MB1809-STGR00

AVAILABILITY
IN STOCK

DIMENSIONS
11.63" x 12.5" = 1.01 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ALLURE CAPTIVATE ASH GRAY *Marble / with Thassos (P) Microchips*



PART NUMBER
MB180-CAPTH0

DIMENSIONS
10 1/2" X 11 7/16" = .83 SQFT

THICKNESS
3/8"

VARIATION
LOW

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes	No	No

For detailed installation instructions, visit akdo.com.

ALLURE CHARISMA ASH GRAY (H) W/ THASSOS (P)

Stone, Marble / with Thassos (P) Microchips



PART NUMBER
MB1809-CHARHO

AVAILABILITY
IN STOCK

DIMENSIONS
8.32" x 10.82" = .62 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
LOW

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ALLURE ENCHANT ASH GRAY (H) W/ THASSOS (P)

Stone, Marble / Ash Gray, Enchant Ash Gray H Solid Thassos P & Thassos P Micro Chips, Thassos



PART NUMBER
MB1809-ENCHH0

AVAILABILITY
IN STOCK

DIMENSIONS
11.44" x 11.88" = .94 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ALLURE RADIANCE ASH GRAY (H) W/ THASSOS (P)

Stone, Marble / with Thassos (P) Microchips



PART NUMBER
MB1809-RADIHO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 12.87" = .87sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
LOW

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO ANGOLO ASH GRAY (H) *Stone, Marble*



PART NUMBER
MB1809-ANGOHO

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO COMPASSO ASH GRAY (H&SB) *Stone, Marble*



PART NUMBER
MB1809-COMP00

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO MODULO ASH GRAY (H&P) *Stone, Marble*



PART NUMBER
MB1809-MODU00

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1.0 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

LUMINOUS BEAM ASH GRAY (H&P) *Marble, Stone*



PART NUMBER
MB1809-DS0800

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
BUTT JOINT

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes, when properly sealed	No	No

For detailed installation instructions, visit akdo.com.

LUMINOUS DAYBREAK ASH GRAY (H & COMBED) *Marble, Stone*



PART NUMBER
MB1809-DAYBHO

AVAILABILITY
IN STOCK

DIMENSIONS
8.11" x 10.43" = .588 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes, when properly sealed	No	No

For detailed installation instructions, visit akdo.com.

LUMINOUS RAY ASH GRAY (H & P & COMBED) *Marble, Stone*



PART NUMBER
MB1809-RAY0H0

AVAILABILITY
IN STOCK

DIMENSIONS
10.19" x 9.75" = .689 sqft

THICKNESS
3/8"

PROFILE
SLAB

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes, when properly sealed	No	No

For detailed installation instructions, visit akdo.com.

LUMINOUS RISE ASH GRAY (H & COMBED) *Stone, Marble*



PART NUMBER
MB1809-RISEHO

AVAILABILITY
IN STOCK

DIMENSIONS
11.02" x 11.77" = .90 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes, when properly sealed	No	No

For detailed installation instructions, visit akdo.com.

LUMINOUS SHINE ASH GRAY (H&P) *Stone, Marble*



PART NUMBER
MB1809-SHNEHO

AVAILABILITY
IN STOCK

DIMENSIONS
7.72" x 8.89" = .37 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes, when properly sealed	No	No

For detailed installation instructions, visit akdo.com.

ORIGAMI BUROKKU ASH GRAY (P) *Stone, Marble*



PART NUMBER
MB1809-BURO00

AVAILABILITY
IN STOCK

DIMENSIONS
8.12" x 7.10" = .297 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ORIGAMI HOSHI ASH GRAY (P) *Stone, Marble*



PART NUMBER
MB1809-HOSH00

AVAILABILITY
IN STOCK

DIMENSIONS
10.15" x 11.75" = .828 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ORIGAMI KIKI ASH GRAY (P) *Stone, Marble*



PART NUMBER
MB1809-KIKI00

AVAILABILITY
IN STOCK

DIMENSIONS
7.88" x 10.16" = .555 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ORIGAMI MASSUGU ASH GRAY (P) W/ TIGER SKIN (P)

Stone, Marble / Ash Gray (P) with Tiger Skin (P)



PART NUMBER
MB1809-MASS00

AVAILABILITY
IN STOCK

DIMENSIONS
1 box = 2.2 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ORIGAMI NAMI ASH GRAY (P) *Stone, Marble*



PART NUMBER
MB1809-NAMI00

AVAILABILITY
IN STOCK

DIMENSIONS
9.88" x 12" = .825 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" CLASSIC RAIL ASH GRAY (H) *Stone, Marble*



PART NUMBER
MB1809-RM12H0

PROFILE
TRIM

AVAILABILITY
IN STOCK

VARIATION
MEDIUM

DIMENSIONS
1 lft (+/-)

THICKNESS
7/8"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" CLASSIC RAIL ASH GRAY (P) *Stone, Marble*



PART NUMBER
MB1809-RM12P0

PROFILE
TRIM

AVAILABILITY
IN STOCK

VARIATION
MEDIUM

DIMENSIONS
1 lft (+/-)

THICKNESS
7/8"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" NARROW LINER ASH GRAY (H) *Stone, Marble*



PART NUMBER
MB1809-NL12H0

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
13/16"

PROFILE
TRIM

VARIATION
MEDIUM

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	No	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" NARROW LINER ASH GRAY (P) *Stone, Marble*



PART NUMBER
MB1809-NL12PO

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
13/16"

PROFILE
TRIM

VARIATION
MEDIUM

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	No	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" CONTEMPORARY RAIL ASH GRAY (H) *Stone, Marble*



PART NUMBER
MB1809-CR12H0

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
1 13/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" CONTEMPORARY RAIL ASH GRAY (P) *Stone, Marble*



PART NUMBER
MB1809-CR12PO

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
1 13/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	Yes	Yes, when properly sealed	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" PURE LINER ASH GRAY (H) *Stone, Marble*



PART NUMBER
MB1809-PL12HO

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
5/8"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	Yes	Yes, when sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" PURE LINER ASH GRAY (P) *Stone, Marble*



PART NUMBER
MB1809-PL12PO

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
5/8"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	Yes	Yes, when sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" GRAND MOLDING ASH GRAY (P) *Stone, Marble*



PART NUMBER
MB1809-GM12P0

PROFILE
TRIM

AVAILABILITY
IN STOCK

VARIATION
MEDIUM

DIMENSIONS
1 lft (+/-)

GROUT JOINT
1/16"

THICKNESS
15/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes		Yes	No	Yes when properly sealed	Yes when properly sealed	No	

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" GRAND MOLDING ASH GRAY (H) *Stone, Marble*



PART NUMBER

MB1809-GM12H0

PROFILE

TRIM

AVAILABILITY

IN STOCK

VARIATION

MEDIUM

DIMENSIONS

1 lft (+/-)

GROUT JOINT

1/16"

THICKNESS

15/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes		Yes	No	Yes when properly sealed	Yes when properly sealed	No	

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.