

## 3/8" X 3/8" BURSA BEIGE (H) *Marble, Stone*



PART NUMBER  
MB1004-M038H1

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.75" x 10.38" = .77 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

GROUT JOINT  
NONE

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when sealed properly	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3/8" X 3/8" CALACATTA (H) *Marble, Stone*



PART NUMBER  
MB1203-M038H1

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.75" x 10.38" = .77 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
HIGH

GROUT JOINT  
NONE

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes, when sealed properly.	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3/8" X 3/8" CALACATTA (P) *Marble, Stone*



PART NUMBER  
MB1203-M038P1

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.75" x 10.38" = .77 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
HIGH

GROUT JOINT  
NONE

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes, when sealed properly.	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3/8" X 3/8" CARRARA BELLA (H) *Marble, Stone*



PART NUMBER  
MB1604-M038H0

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.75" x 10.38" = .77 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
NONE

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No


### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3/8" X 3/8" CARRARA BELLA (P) *Marble, Stone*



PART NUMBER  
MB1604-M038P0

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.75" x 10.38" = .77 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
NONE

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No


### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3/8" X 3/8" CARRARA (H) *Marble, Stone*



PART NUMBER  
**MB1130-M038H1**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**10.75" x 10.38" = .77 sqft**

THICKNESS  
**3/8"**

PROFILE  
**MOSAICS**

VARIATION  
**MEDIUM**

GROUT JOINT  
**NONE**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3/8" X 3/8" CARRARA (P) *Marble, Stone*



PART NUMBER  
MB1130-M038P1

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.75" x 10.38" = .77 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
NONE

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3/8" X 3/8" THASSOS (P) *Marble, Stone*



PART NUMBER  
**MB1232-M038P1**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**10.75" x 10.38" = .77 sqft**

THICKNESS  
**3/8"**

PROFILE  
**MOSAICS**

VARIATION  
**LOW**

GROUT JOINT  
**NONE**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit [akdo.com](http://akdo.com).