

## 3" X 6" BURSA BEIGE (H) *Marble, Stone*



PART NUMBER  
**MB1004-0306H1**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**3" x 6" = .125 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILES**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when sealed properly	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3" X 6" BURSA BEIGE (P) *Marble, Stone*



PART NUMBER  
**MB1004-0306P1**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**3" x 6" = .125 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILES**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when sealed properly	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3/8" X 3/8" BURSA BEIGE (H) *Marble, Stone*



PART NUMBER  
MB1004-M038H1

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.75" x 10.38" = .77 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

GROUT JOINT  
NONE

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when sealed properly	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# BASKET WEAVE BURSA BEIGE (H) W/ THASSOS (H) *Stone, Marble*



PART NUMBER  
MB1004-BASIH2

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 9.75" = .66 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

GROUT JOINT  
1/16"

SEALER  
YES

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when sealed properly	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## BASKET WEAVE BURSA BEIGE (P) W/ THASSOS (P) *Stone, Marble*



PART NUMBER  
MB1004-BASIP4

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 9.75" = .66 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

GROUT JOINT  
1/16"

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes, when sealed properly	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

---

## 12" CLASSIC RAIL BURSA BEIGE (H) *Stone, Marble*



PART NUMBER  
**MB1004-RM12HO**

PROFILE  
**TRIM**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**1 lft (+/-)**

THICKNESS  
**7/8"**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes, when sealed properly	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

---

## 12" CLASSIC RAIL BURSA BEIGE (P) *Stone, Marble*



PART NUMBER  
MB1004-RM12PO

PROFILE  
TRIM

AVAILABILITY  
IN STOCK

DIMENSIONS  
1 lnt (+/-)

THICKNESS  
7/8"

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes, when sealed properly	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

---

## 12" NARROW LINER BURSA BEIGE (H) *Stone, Marble*



PART NUMBER  
**MB1004-NL12HO**

PROFILE  
**TRIM**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**1 lft (+/-)**

THICKNESS  
**13/16"**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	No	Yes, when sealed properly.	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).



---

## 12" NARROW LINER BURSA BEIGE (P) *Stone, Marble*



PART NUMBER  
MB1004-NL12PO

PROFILE  
TRIM

AVAILABILITY  
IN STOCK

DIMENSIONS  
1 lnt (+/-)

THICKNESS  
13/16"

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	No	Yes, when sealed properly.	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).