

## 3" X 6" CARRARA (H) *Marble, Stone*



PART NUMBER  
**MB1130-0306H1**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**3" x 6" = .125 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILES**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3" X 6" CARRARA (P) *Marble, Stone*



PART NUMBER  
**MB1130-0306P1**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**3" x 6" = .125 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILES**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3" X 9" CALACATTA (H) *Stone, Marble*



PART NUMBER  
MB1203-0309H0

AVAILABILITY  
IN STOCK

DIMENSIONS  
2.95" x 9" = .18 sqft (+/-)

THICKNESS  
3/8"

PROFILE  
TILE

VARIATION  
HIGH

GROUT JOINT  
1/8"

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	standard commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3" X 9" CALACATTA (P) *Stone, Marble*



PART NUMBER  
**MB1203-0309P0**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**2.95" x 9" = .18 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILE**

VARIATION  
**HIGH**

GROUT JOINT  
**1/8"**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	standard commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 2" X 8" CARRARA (H) *Marble, Stone*



PART NUMBER  
**MB1130-0208H0**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**1.97" x 7.87" = .108 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILES**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

---

## 4" X 12" CARRARA (H) *Stone, Marble*



PART NUMBER  
**MB1130-0412H0**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**4" x 12" = .333 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILE**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).



## 4" X 12" CARRARA (P) *Stone, Marble*



PART NUMBER  
**MB1130-0412PO**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**4" x 12" = .333 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILE**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 6" X 12" CARRARA (H) *Stone, Marble*



PART NUMBER  
**MB1130-0612H1**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**6" x 12" = .5 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILE**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).



## 6" X 12" CARRARA (P) *Stone, Marble*



PART NUMBER  
MB1130-0612PO

PROFILE  
TILE

AVAILABILITY  
IN STOCK

VARIATION  
MEDIUM

DIMENSIONS  
6" x 12" = .5 sqft (+/-)

GROUT JOINT  
1/8"

THICKNESS  
3/8"

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# 12" X 12" CARRARA (H) *Marble, Stone*



PART NUMBER  
**MB1130-1212H0**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**12" x 12" = 1 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILES**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 12" X 12" CARRARA (P) *Marble, Stone*



PART NUMBER  
**MB1130-1212PO**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**12" x 12" = 1 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILES**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# 18" X 18" CARRARA (H) *Marble, Stone*



IN STOCK

DIMENSIONS

18" x 18" = 2.25 sqft (+/-)

THICKNESS

3/8"

PROFILE

TILES

VARIATION

MEDIUM

GROUT JOINT

1/8"

SEALER

YES

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 12" X 24" CARRARA (H) *Marble, Stone*



PART NUMBER  
**MB1130-1224H0**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**12" x 24" = 2 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILES**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# 12" X 24" CARRARA (P) *Marble, Stone*



PART NUMBER  
**MB1130-1224PO**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**12" x 24" = 2 sqft (+/-)**

THICKNESS  
**3/8"**

PROFILE  
**TILES**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# HEXAGON 3-7/8 CARRARA (H) *Stone, Marble*



PART NUMBER  
MB1130-HEX3HO

AVAILABILITY  
IN STOCK

DIMENSIONS  
7.88" x 10.25" = .56 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

SEALER  
YES

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## HEXAGON 3-7/8 CARRARA (P) *Stone, Marble*



PART NUMBER  
**MB1130-HEX3PO**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**7.88" x 10.25" = .56 sqft**

THICKNESS  
**3/8"**

PROFILE  
**MOSAICS**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).



## HEXAGON CARRARA (H) *Stone, Marble*



PART NUMBER  
MB1130-HEXAH0

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 10.13" = .69 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## HEXAGON CARRARA (P) *Stone, Marble*



MB1130-HEXAPO

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 10.13" = .69 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

---

## 1" X 4" HERRINGBONE CARRARA (H) *Stone, Marble*



PART NUMBER  
**MB1130-HB14H0**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**9" x 11.5" = .72 sqft**

THICKNESS  
**3/8"**

PROFILE  
**MOSAICS**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/8"**

SEALER  
**YES**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# 1" X 4" HERRINGBONE CARRARA (P) *Stone, Marble*



PART NUMBER  
MB1130-HB14P0

AVAILABILITY  
IN STOCK

DIMENSIONS  
9" x 11.5" = .72 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

SEALER  
YES

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# BASKET WEAVE CARRARA (P) W/ THASSOS (P) *Stone, Marble*



PART NUMBER  
MB1130-BASIP2

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 9.75" = .66 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/16"

SEALER  
YES

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

---

# BASKET WEAVE CARRARA (H) W/ TURKISH GRAY (H)

Stone, Marble / Carrara H with Turkish Gray H Dots



PART NUMBER  
MB1130-BASIH5

PROFILE  
MOSAICS

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 9.75" = .66 sqft

THICKNESS

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# BASKET WEAVE CARRARA (P) W/ TURKISH GRAY (P)

Stone, Marble / Carrara (P) & Turkish Gray Dots (P)



PART NUMBER  
MB1130-BASIP5

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 9.75" = .66 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/16"

SEALER  
YES

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

---

## BASKET WEAVE CARRARA (H) W/ TULIP BLACK (H) *Stone, Marble*



PART NUMBER  
MB1130-BASIH1

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 9.75" = .66 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/16"

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes when properly sealed	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).



# BASKET WEAVE CARRARA (P) W/ TULIP BLACK (P) *Stone, Marble*



PART NUMBER  
MB1130-BASIP1

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 9.75" = .66 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/16"

SEALER  
YES

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes when properly sealed	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# 1" X 6" BRICK CARRARA (H) *Stone, Marble*



PART NUMBER  
MB1130-BR16HO

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 11.75" = .80 sqft

THICKNESS  
3/8"

PROFILE  
MOSAIC

GROUT JOINT  
1/16"

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 2" X 2" CARRARA (H) *Stone, Marble*



PART NUMBER  
MB1130-M002H0

AVAILABILITY  
IN STOCK

DIMENSIONS  
12" x 12" = 1 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 2" X 4" BRICK CARRARA (H) *Stone, Marble*



PART NUMBER  
MB1130-BRICO

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 11.75" = .80 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3/4" X 3/4" CARRARA (H) *Marble, Stone*



PART NUMBER  
MB1130-M034H0

AVAILABILITY  
IN STOCK

DIMENSIONS  
12" x 12" = 1 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/16"

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3/8" X 3/8" CARRARA (H) *Marble, Stone*



PART NUMBER  
MB1130-M038H1

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.75" x 10.38" = .77 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
NONE

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 3/8" X 3/8" CARRARA (P) *Marble, Stone*



PART NUMBER  
MB1130-M038P1

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.75" x 10.38" = .77 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
NONE

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# HEAVY RAIN CARRARA (H&P) *Stone, Marble*



PART NUMBER  
**MB1130-HERAPO**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**10" x 11.66" = .810 sqft**

THICKNESS  
**3/8"**

PROFILE  
**MOSAICS**

VARIATION  
**MEDIUM**

GROUT JOINT  
**1/16"**

SEALER  
**YES**

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	Yes	Yes	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).



## IVY CARRARA BELLA (H&P) *Stone, Marble / Carrara Bella*



PART NUMBER  
MB1604-IVY000

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.88" x 11.75" = .81 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# STAGGER CARRARA (H&P) *Stone, Marble*



PART NUMBER  
MB1130-STGR00

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.63" x 12.5" = 1.01 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/16"

SEALER  
YES

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## LUMINOUS BEAM CARRARA (H&P) *Stone, Marble*



PART NUMBER  
MB1130-DS08H0

AVAILABILITY  
IN STOCK

DIMENSIONS  
8" x 8" = .444 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
BUTT JOINT

SEALER  
YES

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes, when properly sealed	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
Frost resistance	No	UNE-ENHSO-10545-12
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# LUMINOUS DAYBREAK CARRARA (H & COMBED) *Stone, Marble*



PART NUMBER  
MB1130-DAYBH0

AVAILABILITY  
IN STOCK

DIMENSIONS  
8.25" x 10.5" = .588 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/16"

SEALER  
YES

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes, when properly sealed	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
Frost resistance	No	UNE-ENHSO-10545-12
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# LUMINOUS RAY CARRARA (H & P & COMBED) *Stone, Marble*



PART NUMBER  
MB1130-RAY0H0

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.19" x 9.75" = .689 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

VARIATION  
MEDIUM

GROUT JOINT  
1/16"

SEALER  
YES

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes, when properly sealed	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
Frost resistance	No	UNE-ENHSO-10545-12
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

---

## LUMINOUS RISE CARRARA (H & COMBED) *Stone, Marble*



PART NUMBER  
**MB1130-RISEHO**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**11.02" x 11.77" = .90 sqft**

THICKNESS  
**3/8"**

PROFILE  
**MOSAICS**

GROUT JOINT  
**1/16"**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes, when properly sealed	No	No

For detailed installation instructions, visit [akdo.com](http://akdo.com).

---

## LUMINOUS SHINE CARRARA (H&P) *Stone, Marble*



PART NUMBER  
MB1130-SHNEHO

AVAILABILITY  
IN STOCK

DIMENSIONS  
7.72" x 8.89" = .37 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS

GROUT JOINT  
1/16"

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes, when properly sealed	No	No

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## HOSHI CARRARA (H) *Stone, Marble*



PART NUMBER  
MB1130-HOSHH0

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.15" x 11.75" = .828 sqft

THICKNESS  
3/8"

PROFILE  
MOSAIC

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).



# NAMI CARRARA (H) *Stone, Marble*



PART NUMBER  
MB1130-NAMIHO

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.88" x 12" = .825 sqft

THICKNESS  
3/8"

PROFILE  
MOSAIC

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

# SUBLIME TAPESTRY CARRARA (H) W/ THASSOS (H)

Marble, Stone / Sublime Tapestry Carrara H with Thassos H



PART NUMBER  
MB1130-TAPEHO

AVAILABILITY  
IN STOCK

DIMENSIONS  
18" x 24" = 3 sqft

THICKNESS  
3/8"

PROFILE  
MOSAICS,ART PIECES

VARIATION  
LOW

## ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes	No	No

## TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
Frost resistance	No	UNE-ENHSO-10545-12
DCOF		ANSI A137.1

WATER JET MOSAICS ARE DELICATE IN NATURE, AND THUS, FRACTURES IN THE TESSERAЕ ARE EXPECTED AND CONSIDERED NATURAL. GROUT COLORS MAY BE CHOSEN TO MATCH THE COLOR OF THE STONE AND WILL REDUCE THE APPEARANCE OF THE CRACKS.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

---

## 12" GRAND MOLDING CARRARA (H) *Stone, Marble*



PART NUMBER  
**MB1130-GM12H0**

PROFILE  
**TRIM**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**1 lft (+/-)**

THICKNESS  
**15/16"**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).



## 12" GRAND MOLDING CARRARA (P) *Stone, Marble*



PART NUMBER  
**MB1130-GM12PO**

PROFILE  
**TRIM**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**1 lft (+/-)**

THICKNESS  
**15/16"**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

---

## 12" CLASSIC RAIL CARRARA (H) *Stone, Marble*



PART NUMBER  
**MB1130-RM12HO**

PROFILE  
**TRIM**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**1 lnt (+/-)**

THICKNESS  
**7/8"**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).



## 12" CLASSIC RAIL CARRARA (P) *Stone, Marble*



PART NUMBER  
**MB1130-RM12P0**

PROFILE  
**TRIM**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**1 lft (+/-)**

THICKNESS  
**7/8"**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).



## 12" NARROW LINER CARRARA (H) *Stone, Marble*



PART NUMBER  
**MB1130-NL12H0**

PROFILE  
**TRIM**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**1 lft (+/-)**

THICKNESS  
**13/16"**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).



## 12" NARROW LINER CARRARA (P) *Stone, Marble*



PART NUMBER  
**MB1130-NL12PO**

PROFILE  
**TRIM**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**1 lft (+/-)**

THICKNESS  
**13/16"**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).





## 12" CONTEMPORARY RAIL CARRARA (H) *Stone, Marble*



PART NUMBER  
MB1130-CR12H0

PROFILE  
TRIM

AVAILABILITY  
IN STOCK

DIMENSIONS  
1 lft (+/-)

THICKNESS  
1 13/16"

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 12" CONTEMPORARY RAIL CARRARA (P) *Stone, Marble*



PART NUMBER  
MB1130-CR12PO

PROFILE  
TRIM

AVAILABILITY  
IN STOCK

DIMENSIONS  
1 lft (+/-)

THICKNESS  
1 13/16"

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 12" PURE LINER CARRARA (H) *Stone, Marble*



PART NUMBER  
MB1130-PL12H0

PROFILE  
TRIM

AVAILABILITY  
IN STOCK

DIMENSIONS  
1 lft (+/-)

THICKNESS  
5/8"

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 12" PURE LINER CARRARA (P) *Stone, Marble*



PART NUMBER  
**MB1130-PL12PO**

PROFILE  
**TRIM**

AVAILABILITY  
**IN STOCK**

DIMENSIONS  
**1 lft (+/-)**

THICKNESS  
**5/8"**

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 12" BASE MOLDING CARRARA (H) *Stone, Marble*



PART NUMBER  
MB1130-BM12H0

PROFILE  
TRIM

AVAILABILITY  
IN STOCK

DIMENSIONS  
4" x 12" = 1 lnt (+/-)

THICKNESS  
3/4"

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).

## 12" BASE MOLDING CARRARA (P) *Stone, Marble*



PART NUMBER  
MB1130-BM12P0

PROFILE  
TRIM

AVAILABILITY  
IN STOCK

DIMENSIONS  
4" x 12" = 1 lnt (+/-)

THICKNESS  
3/4"

### ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
No	No	No	No	Yes	Yes	No	No

### TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit [akdo.com](http://akdo.com).