

2" X 8" WHITE HAZE (H) *Marble, Stone*



PART NUMBER
MB1741-0208H0

AVAILABILITY
IN STOCK

DIMENSIONS
1.97" x 7.87" = .108 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes - if sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

3" X 9" WHITE HAZE (H) *Marble, Stone*



PART NUMBER
MB1741-0309H0

AVAILABILITY
IN STOCK

DIMENSIONS
2.95" x 9" = .18 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes - if sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	standard commercial	NA

For detailed installation instructions, visit akdo.com.

4" X 12" WHITE HAZE (H) *Stone, Marble*



PART NUMBER
MB1741-0412HO

AVAILABILITY
IN STOCK

DIMENSIONS
4" x 12" = .333 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILE

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

4" X 12" WHITE HAZE (P) *Stone, Marble*



PART NUMBER
MB1741-0412PO

AVAILABILITY
IN STOCK

DIMENSIONS
4" x 12" = .333 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILE

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

4" X 16" WHITE HAZE (H) *Stone, Marble*



PART NUMBER
MB1741-0416H0

AVAILABILITY
IN STOCK

DIMENSIONS
4" x 16" = .44 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILE

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

12" X 12" WHITE HAZE (H) *Marble, Stone*



PART NUMBER
MB1741-1212H0

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes - if sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

6" X 24" WHITE HAZE (H) *Stone, Marble*



PART NUMBER
MB1741-0624H0

AVAILABILITY
IN STOCK

DIMENSIONS
6" x 24" = 1 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILE

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

6" X 24" WHITE HAZE (P) *Stone, Marble*



PART NUMBER
MB1741-0624PO

AVAILABILITY
IN STOCK

DIMENSIONS
6" x 24" = 1 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILE

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" X 24" WHITE HAZE (H) *Marble, Stone*



PART NUMBER
MB1741-1224H0

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 24" = 2 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes - if sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

12" X 24" WHITE HAZE (P) *Marble, Stone*



PART NUMBER
MB1741-1224PO

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 24" = 2 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes - if sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

18" X 36" WHITE HAZE (H) *Marble, Stone*



PART NUMBER
MB1741-1836HO

PROFILE
TILES,LARGE FORMAT

AVAILABILITY
IN STOCK

DIMENSIONS
18" x 36" = 4.5 sqft (+/-)

THICKNESS
5/8"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes - if sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

18" X 36" WHITE HAZE (P) *Marble, Stone*



PART NUMBER
MB1741-1836PO

PROFILE
TILES,LARGE FORMAT

AVAILABILITY
IN STOCK

DIMENSIONS
18" x 36" = 4.5 sqft (+/-)

THICKNESS

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes - if sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

ANGLE WHITE HAZE (H) *Stone, Marble*



PART NUMBER
MB1741-ANGLHO

AVAILABILITY
IN STOCK

DIMENSIONS
3.833" x 13.32" = .353 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

HEXAGON 3-7/8 WHITE HAZE (H) *Stone, Marble*



PART NUMBER
MB1741-HEX3H0

AVAILABILITY
IN STOCK

DIMENSIONS
7.88" x 10.25" = .56 sqft

THICKNESS
3/8"

PROFILE
MOSAIC

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

HEXAGON WHITE HAZE (H) *Stone, Marble*



PART NUMBER
MB1741-HEXAHO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 10.13" = .69 sqft

THICKNESS
3/8"

PROFILE
MOSAIC

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

1" X 4" HERRINGBONE WHITE HAZE (H) *Stone, Marble*



PART NUMBER
MB1741-HB14H0

AVAILABILITY
IN STOCK

DIMENSIONS
9" x 11.5" = .72 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

1" X 4" HERRINGBONE WHITE HAZE (P) *Stone, Marble*



PART NUMBER
MB1741-HB14PO

AVAILABILITY
IN STOCK

DIMENSIONS
9" x 11.5" = .72 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

BASKET WEAVE WHITE HAZE (H) W/ THASSOS (H) *Stone, Marble*



PART NUMBER
MB1741-BASIHO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 9.75" = .66 sqft

THICKNESS
3/8"

PROFILE
MOSAIC

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

1" X 6" BRICK WHITE HAZE (H) *Stone, Marble*



PART NUMBER
MB1741-BR16H0

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 11.75" = .8 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

1" X 6" BRICK WHITE HAZE (P) *Stone, Marble*



PART NUMBER
MB1741-BR16PO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 11.75" = .8 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

2" X 2" WHITE HAZE (H) *Stone, Marble*



PART NUMBER
MB1741-M002H0

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

IVY WHITE HAZE (H&P) *Stone, Marble*



PART NUMBER
MB1741-IVY000

AVAILABILITY
IN STOCK

DIMENSIONS
9.88" x 11.75" = .814 sqft

THICKNESS
3/8"

PROFILE
MOSAIC

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

STAGGER WHITE HAZE (H&P) *Stone, Marble*



PART NUMBER
MB1741-STGR00

AVAILABILITY
IN STOCK

DIMENSIONS
11.63" x 12.5" = 1.01 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ORIGAMI BUROKKU WHITE HAZE (P) *Stone, Marble*



PART NUMBER
MB1741-BURO00

AVAILABILITY
IN STOCK

DIMENSIONS
6.61" x 7.64" = .351 sqft

THICKNESS
3/8"

PROFILE
MOSAIC

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

For detailed installation instructions, visit akdo.com.

HOSHI WHITE HAZE (P) *Stone, Marble*



PART NUMBER
MB1741-HOSH00

AVAILABILITY
IN STOCK

DIMENSIONS
10.15" x 11.75" = .828 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

For detailed installation instructions, visit akdo.com.

ORIGAMI MASSUGU WHITE HAZE (P) W/ DARK OLIVE (P) *Stone, Marble*



PART NUMBER
MB1741-MASS00

AVAILABILITY
IN STOCK

DIMENSIONS
1 box = 2.2 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes	Yes	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

For detailed installation instructions, visit akdo.com.

NAMI WHITE HAZE (P) *Stone, Marble*



PART NUMBER
MB1741-NAMI00

AVAILABILITY
IN STOCK

DIMENSIONS
9.88" x 12" = .825 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	No	Yes	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

For detailed installation instructions, visit akdo.com.

12" CONTEMPORARY RAIL WHITE HAZE (H) *Stone, Marble*



PART NUMBER
MB1741-CR12H0

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
1 13/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	No	Yes - if sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" CONTEMPORARY RAIL WHITE HAZE (P) *Stone, Marble*



PART NUMBER
MB1741-CR12PO

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
1 13/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	No	Yes - if sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" PURE LINER WHITE HAZE (H) *Stone, Marble*



PART NUMBER
MB1741-PL12HO

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
5/8"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	No	Yes - if sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" PURE LINER WHITE HAZE (P) *Stone, Marble*



PART NUMBER
MB1741-PL12PO

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
5/8"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	No	Yes	No	No	Yes - if sealed properly	No	No

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" NARROW LINER WHITE HAZE (H) *Stone, Marble*



PART NUMBER
MB1741-NL12HO

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
13/16"

PROFILE
TRIM

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes		Yes	No	Yes when properly sealed	Yes when properly sealed	No	

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.