
# PERSPECTIVE TWIST THASSOS (P) W/CARRARA (H)

Stone, Marble / Thassos (P) with Carrara (H)



PART NUMBER
MB1232-TWISP0

AVAILABILITY IN STOCK

DIMENSIONS 7.88" x 9.88" = .55 sqft

THICKNESS 3/8"

VARIATION MEDIUM

**GROUT JOINT** 

1/16"

SEALER YES

### **ENVIRONMENTS**

| WALL | FLOOR | INTERIOR | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER | WET<br>AREA                | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes  | Yes   | Yes      | Yes                     | No              | Yes, when sealed properly. | No   | No     |

## PERSPECTIVE TWIST CALACATTA (H) W/ THASSOS (P)

Marble, Stone / Calacatta (H) with Thassos (P)



PART NUMBER
MB1203-TWISH0

AVAILABILITY
IN STOCK

DIMENSIONS
7.88" x 9.88" = .55 sqft

THICKNESS

PROFILE

WARIATION
MOSAICS

GROUTJOINT
1/16"

THICKNESS

SEALER

YES

#### **ENVIRONMENTS**

| WALL | FLOOR | INTERIOR | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER | WET<br>AREA                | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes  | Yes   | Yes      | No                      | No              | Yes, when sealed properly. | No   | No     |
|      |       |          |                         |                 |                            |      |        |

3/8"


#### **TECHNICAL DATA**

| FEATURES | SPECIFICATION | STANDARD    |
|----------|---------------|-------------|
| DCOF     |               | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

# PERSPECTIVE TWIST CARRARA BELLA (H) W/ DOVE GRAY (C)

Marble, Stone / Carrara Bella (H) with Dove Gray (C)



| PART NUMBER              | PROFILE     |
|--------------------------|-------------|
| MB1604-TWISH0            | MOSAICS     |
| AVAIL ADILITY            | VADIATION   |
| AVAILABILITY             | VARIATION   |
| IN STOCK                 | MEDIUM      |
|                          |             |
| DIMENSIONS               | GROUT JOINT |
| 7.88" x 9.88" = .55 sqft | 1/16"       |
|                          |             |
| THICKNESS                | SEALER      |
| 3/8"                     | YES         |

ANSI A137.1

#### **ENVIRONMENTS**

DCOF

| EINVINC        | JINIVIEIN I 3 |          |                         |                 |                            |          |        |
|----------------|---------------|----------|-------------------------|-----------------|----------------------------|----------|--------|
| WALL           | FLOOR         | INTERIOR | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER | WET<br>AREA                | POOL     | REPEAT |
| Yes            | No            | Yes      | No                      | No              | Yes, when sealed properly. | No       | No     |
| TECHNICAL DATA |               |          |                         |                 |                            |          |        |
| FEATURES       |               | 5        | PECIFICATION            |                 |                            | STANDARD | ,      |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

## PERSPECTIVE PIVOT THASSOS (P) W/CARRARA (H)

### Stone, Marble



PART NUMBER PROFILE
MB1232-PIVTPO MOSAICS

AVAILABILITY VARIATION
IN STOCK MEDIUM

DIMENSIONS GROUT JOINT 11.25" x 12.88" = 1.01 sqft 1/16"

THICKNESS SEALER 3/8" YES

#### **ENVIRONMENTS**

| WALL | FLOOR | INTERIOR | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER | WET<br>AREA                | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes  | Yes   | Yes      | No                      | No              | Yes, when sealed properly. | No   | No     |

#### **TECHNICAL DATA**

| FEATURES | SPECIFICATION | STANDARD    |
|----------|---------------|-------------|
| DCOF     |               | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

## PERSPECTIVE PIVOT CALACATTA (H) W/ THASSOS (P)

### Stone, Marble / Marble



PART NUMBER PROFILE
MB1203-PIVTHO MOSAICS

AVAILABILITY VARIATION
IN STOCK MEDIUM

DIMENSIONS GROUT JOINT

1/16"

11.25" x 12.88" = 1.01 sqft

THICKNESS SEALER 3/8" YES

#### **ENVIRONMENTS**

| WALL | FLOOR | INTERIOR | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER | WET<br>AREA                | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes  | Yes   | Yes      | No                      | No              | Yes, when sealed properly. | No   | No     |

#### **TECHNICAL DATA**

| FEATURES | SPECIFICATION | STANDARD    |
|----------|---------------|-------------|
| DCOF     |               | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

## PERSPECTIVE PIVOT CARRARA BELLA (H) W/DOVE GRAY (C)

Stone, Marble



PART NUMBER **PROFILE** MB1604-PIVTH0 MOSAICS AVAILABILITY VARIATION IN STOCK MEDIUM **DIMENSIONS GROUT JOINT** 11.25" x 11.88" = 1.01 sqft 1/16" THICKNESS SEALER

YES

#### **ENVIRONMENTS**

| WALL           | FLOOR | INTERIOR | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER | WET<br>AREA                | POOL | REPEAT |  |  |
|----------------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|--|--|
| Yes            | No    | Yes      | No                      | No              | Yes, when sealed properly. | No   | No     |  |  |
|                |       |          |                         |                 |                            |      |        |  |  |
| TECHNICAL DATA |       |          |                         |                 |                            |      |        |  |  |

3/8"

#### TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD    |
|----------|---------------|-------------|
| DCOF     |               | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

## PERSPECTIVE AXIS THASSOS (P) W/CARRARA (H)

### Stone, Marble



PART NUMBER MB1232-AXISP0

AVAILABILITY IN STOCK

DIMENSIONS

11.16" x 13.5" = 1.05 sqft

THICKNESS 3/8"

PROFILE MOSAICS

VARIATION MEDIUM

GROUT JOINT

1/16"

SEALER YES

#### **ENVIRONMENTS**

| WALL | FLOOR | INTERIOR | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER | WET<br>AREA                | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes  | Yes   | Yes      | No                      | No              | Yes, when sealed properly. | No   | No     |

#### **TECHNICAL DATA**

| FEATURES | SPECIFICATION | STANDARD    |
|----------|---------------|-------------|
| DCOF     |               | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

## PERSPECTIVE AXIS CALACATTA (H) W/ THASSOS (P)

### Stone, Marble



PART NUMBER

MB1203-AXISH0

AVAILABILITY

IN STOCK

DIMENSIONS

11.16" x 13.5" = 1.05 sqft

PROFILE

WASIATION

MEDIUM

GROUT JOINT

1/16"

THICKNESS SEALER 3/8" YES

#### **ENVIRONMENTS**

| Yes Yes Yes No No Yes, when sealed properly. No No |     | FLOOR | INTERIOR | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER | WET<br>AREA                | POOL | REPEAT |
|--|-----|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
|  | Yes | Yes   | Yes      | No                      | No              | Yes, when sealed properly. | No   | No     |

#### **TECHNICAL DATA**

| FEATURES | SPECIFICATION | STANDARD    |
|----------|---------------|-------------|
| DCOF     |               | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

## PERSPECTIVE AXIS CARRARA BELLA (H) W/ PEARL GRAY (P) Stone, Marble



PART NUMBER PROFILE MB1604-AXISH0 MOSAICS AVAILABILITY VARIATION

IN STOCK MEDIUM

**DIMENSIONS GROUT JOINT** 

11.16" x 13.5" = 1.05 sqft 1/16"

THICKNESS SEALER 3/8" YES

#### **ENVIRONMENTS**

| WALL | FLOOR | INTERIOR | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER | WET<br>AREA                | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes  | Yes   | Yes      | No                      | No              | Yes, when sealed properly. | No   | No     |

#### **TECHNICAL DATA**

| FEATURES | SPECIFICATION | STANDARD    |
|----------|---------------|-------------|
| DCOF     |               | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

## PERSPECTIVE AXIS CALACATTA (H) W/ BLUE LAGOS (H) Stone, Marble, Limestone



PART NUMBER **PROFILE** MB1203-AXISH1 MOSAICS

AVAILABILITY VARIATION IN STOCK MEDIUM

**DIMENSIONS GROUT JOINT** 11.16" x 13.5" = 1.05 sqft 1/16

THICKNESS SEALER 3/8" YES

#### **ENVIRONMENTS**

| WALL | FLOOR | INTERIOR | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER | WET<br>AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes  | Yes   | Yes      | Yes                     | No              | No          | No   | No     |

### **TECHNICAL DATA**

| FEATURES | SPECIFICATION | STANDARD    |
|----------|---------------|-------------|
| DCOF     |               | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.