

## BEACON 3" X 12" CALICO (G) ART GLASS *Glass*



PART NUMBER  
GL2277-0312G0

PROFILE  
TILE

AVAILABILITY  
IN STOCK

DIMENSIONS  
3.00" x 12.00" = .250 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON 3" X 12" CARBON (G) ART GLASS *Glass*

PART NUMBER  
GL2278-0312G0

PROFILE  
TILE

AVAILABILITY  
IN STOCK



DIMENSIONS  
3.00" x 12.00" = .250 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON 3" X 12" SAPPHIRE (G) ART GLASS *Glass*

PART NUMBER	PROFILE	AVAILABILITY
GL1906-0312G0	TILE	IN STOCK
DIMENSIONS	THICKNESS	
3.00" x 12.00" = .250 sqft	1/8"	

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON 3" X 12" TUNDRA (G) ART GLASS *Glass*

PART NUMBER  
GL1909-0312G0

PROFILE  
TILE

AVAILABILITY  
IN STOCK

DIMENSIONS  
3.00" x 12.00" = .250 sqft

THICKNESS  
1/8"



### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON ASTER TUNDRA (G) ART GLASS *Glass*



PART NUMBER  
GL1909-ASTRGO

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.24" x 8.00" = .385 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON ASTER SAPPHIRE (G) ART GLASS *Glass*

PART NUMBER	PROFILE	AVAILABILITY
GL1906-ASTRGO	MOSAIC	IN STOCK
DIMENSIONS	THICKNESS	
9.24" x 8.00" = .385 sqft	1/8"	

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON ASTER CARBON (G) ART GLASS *Glass*

PART NUMBER	PROFILE	AVAILABILITY
GL2278-ASTRGO	MOSAIC	IN STOCK
DIMENSIONS	THICKNESS	
9.24" x 8.00" = .385 sqft	1/8"	

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON ASTER CALICO (G) ART GLASS *Glass*



PART NUMBER  
GL2277-ASTRGO

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.24" x 8.00" = .385 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.



## BEACON BRILLIANCE CALICO (G) ART GLASS *Glass*



PART NUMBER  
GL2277-BRLLG0

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.55" x 8.27" = .411 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON BRILLIANCE CARBON (G) ART GLASS *Glass*



PART NUMBER  
GL2278-BRLLG0

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.55" x 8.27" = .411 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON BRILLIANCE SAPPHIRE (G) ART GLASS *Glass*

PART NUMBER	PROFILE	AVAILABILITY
GL1906-BRLLG0	MOSAIC	IN STOCK
DIMENSIONS	THICKNESS	
9.55" x 8.27" = .411 sqft	1/8"	

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON BRILLIANCE TUNDRA (G) ART GLASS *Glass*



PART NUMBER  
GL1909-BRLLG0

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.55" x 8.27" = .411 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON EVOKE CALICO (G) ART GLASS *Glass*



PART NUMBER  
GL2277-EVOKG0

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
12.00" x 12.00" = 1.00 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON EVOKE CARBON (G) ART GLASS *Glass*



PART NUMBER  
GL2278-EVOKG0

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
12.00" x 12.00" = 1.00 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON EVOKE SAPPHIRE (G) ART GLASS *Glass*



PART NUMBER  
GL1906-EVOKG0

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
12.00" x 12.00" = 1.00 sqft

THICKNESS  
1/8"

### NOTES


Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON EVOKE TUNDRA (G) ART GLASS *Glass*



PART NUMBER  
GL1909-EVOKG0

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
12.00" x 12.00" = 1.00 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	No	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.



## BEACON IKAT CALICO (G) ART GLASS *Glass*



PART NUMBER  
GL2277-IKATG0

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.25" x 9.00" = .706 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	Yes	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON IKAT CARBON (G) ART GLASS *Glass*



PART NUMBER  
GL2278-IKATG0

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.25" x 9.00" = .706 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	Yes	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON IKAT SAPPHIRE (G) ART GLASS *Glass*



PART NUMBER  
GL1906-IKATG0

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.25" x 9.00" = .706 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	Yes	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON IKAT TUNDRA (G) ART GLASS *Glass*



PART NUMBER  
GL1909-IKATG0

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.25" x 9.00" = .706 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	Yes	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON LOOM CALICO (G) ART GLASS *Glass*



PART NUMBER  
GL2277-LOOMGO

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.81" x 11.81" = .968 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	Yes	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON LOOM CARBON (G) ART GLASS *Glass*



PART NUMBER  
GL2278-LOOMGO

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.81" x 11.81" = .968 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	Yes	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON LOOM SAPPHIRE (G) ART GLASS *Glass*



PART NUMBER  
GL1906-LOOMGO

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.81" x 11.81" = .968 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	Yes	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON LOOM TUNDRA (G) ART GLASS *Glass*



PART NUMBER  
GL1909-LOOMGO

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.81" x 11.81" = .968 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	Yes	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.



## BEACON SPLENDOR CALICO (G) ART GLASS *Glass*



PART NUMBER  
GL2277-SPLDGO

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.94" x 8.57" = .711 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	Yes	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON SPLENDOR CARBON (G) ART GLASS *Glass*



PART NUMBER  
GL2278-SPLDGO

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.94" x 8.57" = .711 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	Yes	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON SPLENDOR SAPPHIRE (G) ART GLASS *Glass*



PART NUMBER  
GL1906-SPLDGO

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.94" x 8.57" = .711 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	Yes	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BEACON SPLENDOR TUNDRA (G) ART GLASS *Glass*



PART NUMBER  
GL1909-SPLDGO

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

DIMENSIONS  
11.94" x 8.57" = .711 sqft

THICKNESS  
1/8"

### NOTES

Art glass has high variation from lot to lot. please request a sample of the current lot when ordering art glass items.

### APPLICATION AREA

WALL	FLOOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	No	Yes	Yes	Yes	Yes	YES - Heat not to exceed 1472°F	YES - Heat not to exceed 1472°F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.