

## 3" X 9" FRENCH VANILLA (H) *Stone, Marble*



PART NUMBER  
MB1229-0309H0

PROFILE  
TILE

AVAILABILITY  
IN STOCK

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

DIMENSIONS  
3" x 9" = 0.187 sqft ( +/-)

THICKNESS  
3/8"

ORIGIN  
Turkey

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes  | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |

### FIREPLACE SURROUND

Yes

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## 3" X 9" FRENCH VANILLA (P) *Stone, Marble*



PART NUMBER  
MB1229-0309P0

PROFILE  
TILE

AVAILABILITY  
IN STOCK

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

DIMENSIONS  
3" x 9" = 0.187 sqft ( +/-)

THICKNESS  
3/8"

ORIGIN  
Turkey

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes  | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |

### FIREPLACE SURROUND

Yes

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## 4" X 12" FRENCH VANILLA (H) *Stone, Marble*



PART NUMBER  
MB1229-0412H0

PROFILE  
TILE

AVAILABILITY  
IN STOCK

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

DIMENSIONS  
4" x 12" = .333 sqft (+/-)

THICKNESS  
3/8"

ORIGIN  
Turkey

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes  | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |

### FIREPLACE SURROUND

Yes

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## 4" X 12" FRENCH VANILLA (P) *Stone, Marble*



PART NUMBER  
MB1229-0412PO

PROFILE  
TILE

AVAILABILITY  
IN STOCK

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

DIMENSIONS  
4" x 12" = .333 sqft (+/-)

THICKNESS  
3/8"

ORIGIN  
Turkey

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes  | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |

### FIREPLACE SURROUND

Yes

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## 12" X 24" FRENCH VANILLA (H) *Stone, Marble*



PART NUMBER  
MB1229-1224H1

PROFILE  
TILE

AVAILABILITY  
IN STOCK

GROUT JOINT  
1/8"

DIMENSIONS  
12" x 24" = 2 sqft (+/-)

THICKNESS  
1/2"

ORIGIN  
Turkey

### APPLICATION AREA

| WALL     | FLOOR | TRAFFIC                  | STEAM SHOWER             | WET AREA                 | POOL | BACKSPLASH | FIREPLACE SURROUND |
|----------|-------|--------------------------|--------------------------|--------------------------|------|------------|--------------------|
| Yes      | Yes   | Standard Commercial      | Yes - If properly sealed | Yes - If properly sealed | No   | Yes        | Yes                |
| INTERIOR |       | SHOWER                   |                          |                          |      |            |                    |
| 1        |       | Yes - If properly sealed |                          |                          |      |            |                    |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## 12" X 24" FRENCH VANILLA (P) *Stone, Marble*



PART NUMBER  
MB1229-1224P1

PROFILE  
TILE

AVAILABILITY  
IN STOCK

GROUT JOINT  
1/8"

DIMENSIONS  
12" x 24" = 2 sqft (+/-)

THICKNESS  
1/2"

ORIGIN  
Turkey

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL     | FLOOR | TRAFFIC                     | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH | FIREPLACE<br>SURROUND |
|----------|-------|-----------------------------|-----------------------------|-----------------------------|------|------------|-----------------------|
| Yes      | Yes   | Standard<br>Commercial      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        | Yes                   |
| INTERIOR |       | SHOWER                      |                             |                             |      |            |                       |
| 1        |       | Yes - If properly<br>sealed |                             |                             |      |            |                       |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## 1" X 4" HERRINGBONE FRENCH VANILLA (H) *Stone, Marble*



PART NUMBER  
MB1229-HB14H0

VARIATION  
MEDIUM

THICKNESS  
3/8"

PROFILE  
MOSAIC

GROUT JOINT  
1/8"

ORIGIN  
Turkey

AVAILABILITY  
IN STOCK

DIMENSIONS  
9" x 11.5" = .72 sqft

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL                  | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|-----------------------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes                   | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |
| FIREPLACE<br>SURROUND |       |                        |                         |                             |                             |      |            |
| Yes                   |       |                        |                         |                             |                             |      |            |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## 1" X 4" HERRINGBONE FRENCH VANILLA (P) *Stone, Marble*



PART NUMBER  
MB1229-HB14P0

VARIATION  
MEDIUM

THICKNESS  
3/8"

PROFILE  
MOSAIC

GROUT JOINT  
1/8"

ORIGIN  
Turkey

AVAILABILITY  
IN STOCK

DIMENSIONS  
9" x 11.5" = .72 sqft

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes  | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |

### FIREPLACE SURROUND

Yes

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.



## HEXAGON FRENCH VANILLA (H) *Stone, Marble*



PART NUMBER  
MB1229-HEXAHO

VARIATION  
MEDIUM

THICKNESS  
3/8"

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

PROFILE  
MOSAIC

GROUT JOINT  
1/8"

ORIGIN  
Turkey

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 10.13" = .69 sqft

### APPLICATION AREA

| WALL                  | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|-----------------------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes                   | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |
| FIREPLACE<br>SURROUND |       |                        |                         |                             |                             |      |            |
| Yes                   |       |                        |                         |                             |                             |      |            |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## HEXAGON FRENCH VANILLA (P) *Stone, Marble*



PART NUMBER  
MB1229-HEXAPO

VARIATION  
MEDIUM

THICKNESS  
3/8"

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

PROFILE  
MOSAIC

GROUT JOINT  
1/8"

ORIGIN  
Turkey

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.75" x 10.13" = .69 sqft

### APPLICATION AREA

| WALL                  | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|-----------------------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes                   | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |
| FIREPLACE<br>SURROUND |       |                        |                         |                             |                             |      |            |
| Yes                   |       |                        |                         |                             |                             |      |            |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## HEXAGON 3-7/8 FRENCH VANILLA (H) *Stone, Marble*



PART NUMBER  
MB1229-HEX3H0

VARIATION  
MEDIUM

THICKNESS  
3/8"

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

PROFILE  
MOSAIC

GROUT JOINT  
1/8"

ORIGIN  
Turkey

AVAILABILITY  
IN STOCK

DIMENSIONS  
7.88" x 10.25" = .560 sqft

### APPLICATION AREA

| WALL                  | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|-----------------------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes                   | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |
| FIREPLACE<br>SURROUND |       |                        |                         |                             |                             |      |            |
| Yes                   |       |                        |                         |                             |                             |      |            |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## HEXAGON 3-7/8 FRENCH VANILLA (P) *Stone, Marble*



PART NUMBER  
MB1229-HEX3P0

VARIATION  
MEDIUM

THICKNESS  
3/8"

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

PROFILE  
MOSAIC

GROUT JOINT  
1/8"

ORIGIN  
Turkey

AVAILABILITY  
IN STOCK

DIMENSIONS  
7.88" x 10.25" = .560 sqft

### APPLICATION AREA

| WALL                  | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|-----------------------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes                   | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |
| FIREPLACE<br>SURROUND |       |                        |                         |                             |                             |      |            |
| Yes                   |       |                        |                         |                             |                             |      |            |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BASKET WEAVE FRENCH VANILLA (H) W/ THASSOS (H) *Stone, Marble*



PART NUMBER  
MB1229-BASIHO

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

DIMENSIONS  
9.75" x 9.75" = .66 sqft

THICKNESS  
3/8"

ORIGIN  
Turkey

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL                  | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|-----------------------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes                   | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |
| FIREPLACE<br>SURROUND |       |                        |                         |                             |                             |      |            |
| Yes                   |       |                        |                         |                             |                             |      |            |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## BASKET WEAVE FRENCH VANILLA (P) W/ THASSOS (P) *Stone, Marble*



PART NUMBER  
MB1229-BASIPO

PROFILE  
MOSAIC

AVAILABILITY  
IN STOCK

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

DIMENSIONS  
9.75" x 9.75" = .66 sqft

THICKNESS  
3/8"

ORIGIN  
Turkey

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes  | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |

### FIREPLACE SURROUND

Yes

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## IVY FRENCH VANILLA (H&P) *Stone, Marble*



PART NUMBER  
MB1229-IVY000

VARIATION  
MEDIUM

THICKNESS  
3/8"

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

PROFILE  
MOSAIC

GROUT JOINT  
1/8"

ORIGIN  
Turkey

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.88" x 11.75" = .814 sqft

### APPLICATION AREA

| WALL                  | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|-----------------------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes                   | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |
| FIREPLACE<br>SURROUND |       |                        |                         |                             |                             |      |            |
| Yes                   |       |                        |                         |                             |                             |      |            |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## HOSHI FRENCH VANILLA (H) *Stone, Marble*



PART NUMBER  
MB1229-HOSHHO

VARIATION  
MEDIUM

THICKNESS  
3/8"

PROFILE  
MOSAIC

GROUT JOINT  
1/8"

ORIGIN  
Turkey

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.15" x 11.75" = .828 sqft

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL                  | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|-----------------------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes                   | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |
| FIREPLACE<br>SURROUND |       |                        |                         |                             |                             |      |            |
| Yes                   |       |                        |                         |                             |                             |      |            |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.



## HOSHI FRENCH VANILLA (P) *Stone, Marble*



PART NUMBER  
MB1229-HOSHP0

VARIATION  
MEDIUM

THICKNESS  
3/8"

PROFILE  
MOSAIC

GROUT JOINT  
1/8"

ORIGIN  
Turkey

AVAILABILITY  
IN STOCK

DIMENSIONS  
10.15" x 11.75" = .828 sqft

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes  | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |

### FIREPLACE SURROUND

Yes

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## NAMI FRENCH VANILLA (H) *Stone, Marble*



PART NUMBER  
MB1229-NAMIHO

VARIATION  
MEDIUM

THICKNESS  
3/8"

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

PROFILE  
MOSAIC

GROUT JOINT  
1/8"

ORIGIN  
Turkey

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.88" x 12" = .825 sqft

### APPLICATION AREA

| WALL                  | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|-----------------------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes                   | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |
| FIREPLACE<br>SURROUND |       |                        |                         |                             |                             |      |            |
| Yes                   |       |                        |                         |                             |                             |      |            |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## NAMI FRENCH VANILLA (P) *Stone, Marble*



PART NUMBER  
MB1229-NAMIPO

VARIATION  
MEDIUM

THICKNESS  
3/8"

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

PROFILE  
MOSAIC

GROUT JOINT  
1/8"

ORIGIN  
Turkey

AVAILABILITY  
IN STOCK

DIMENSIONS  
9.88" x 12" = .825 sqft

### APPLICATION AREA

| WALL                  | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|-----------------------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes                   | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |
| FIREPLACE<br>SURROUND |       |                        |                         |                             |                             |      |            |
| Yes                   |       |                        |                         |                             |                             |      |            |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## 12" CLASSIC RAIL FRENCH VANILLA (H) *Stone, Marble*



PART NUMBER  
MB1229-RM12H0

PROFILE  
TRIM

AVAILABILITY  
IN STOCK

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

DIMENSIONS  
1 Inft

THICKNESS  
3/8"

ORIGIN  
Turkey

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL                  | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|-----------------------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes                   | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |
| FIREPLACE<br>SURROUND |       |                        |                         |                             |                             |      |            |
| Yes                   |       |                        |                         |                             |                             |      |            |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## 12" CLASSIC RAIL FRENCH VANILLA (P) *Stone, Marble*



PART NUMBER  
MB1229-RM12P0

PROFILE  
TRIM

AVAILABILITY  
IN STOCK

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

DIMENSIONS  
1 Inft

THICKNESS  
3/8"

ORIGIN  
Turkey

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes  | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |

### FIREPLACE SURROUND

Yes

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## 12" NARROW LINER FRENCH VANILLA (H) *Stone, Marble*



PART NUMBER  
MB1229-NL12H0

PROFILE  
TRIM

AVAILABILITY  
IN STOCK

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

DIMENSIONS  
1 Inft

THICKNESS  
3/8"

ORIGIN  
Turkey

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes  | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |

### FIREPLACE SURROUND

Yes

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

## 12" NARROW LINER FRENCH VANILLA (P) *Stone, Marble*



PART NUMBER  
MB1229-NL12PO

PROFILE  
TRIM

AVAILABILITY  
IN STOCK

VARIATION  
MEDIUM

GROUT JOINT  
1/8"

DIMENSIONS  
1 Inft

THICKNESS  
3/8"

ORIGIN  
Turkey

### NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

### APPLICATION AREA

| WALL | FLOOR | TRAFFIC                | EXTERIOR<br>FREEZE/THAW | STEAM<br>SHOWER             | WET<br>AREA                 | POOL | BACKSPLASH |
|------|-------|------------------------|-------------------------|-----------------------------|-----------------------------|------|------------|
| Yes  | Yes   | Standard<br>Commercial | No                      | Yes - If properly<br>sealed | Yes - If properly<br>sealed | No   | Yes        |

### FIREPLACE SURROUND

Yes

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.