



# CC Porcelain II



## CC Porcelain II

CC Porcelain II is a sober unglazed porcelain mosaic. Available in 4 neutral tones, which can be used in both commercial and residential projects.

CC Porcelain II Tender Gray 12"x12" Mosaic

Unglazed Porcelain

◇ 12"x12" Mosaic



CC Porcelain II Snow White & Black 12"x12" Mosaic




CC Porcelain II Tender Gray 12"x12" Mosaic

# CC Porcelain II

Unglazed Porcelain


6 mm |     | 12"x12"  
30x30 cm



## Snow White

---

12"x12" Mosaic  
UFCCP272-12M



## Taupe

---

12"x12" Mosaic  
UFCCP289-12M



## Tender Gray

---

12"x12" Mosaic  
UFCCP261-12M



## Black

---

12"x12" Mosaic  
UFCCP259-12M

# CC Porcelain II

## Unglazed Porcelain

### Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=0.5%
Break Strength	C648	Min. 450
Scratch Hardness	MOH's Scale	5
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Resistant
Group	See FAQ's	4
Deep Abrasion - Unglazed Tiles	C1243	-
PEI - Glazed Tiles	C1027	4-2 (Black)
Minimum Bond Strength (PSI)	C482	165
Dynamic Coefficient of Friction (DCOF)	A1371	<=0.42
Shade and Texture Rating	CTDA "V"	V2
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

### Packaging Info

Size	SF per carton	PC per carton
12"x12"	21.74	22