

In order to evidence some of the credits that LEED as much as BREEAM systems, ROCA notify the next information:

Referring to **LEED** Certification System:

| Section | Credit | Evidence number in this document |
|-------------------------------------|--|----------------------------------|
| MATERIALS AND RESOURCES | Cr.3. Building Product Disclosure and Optimization – Sourcing of Raw Materials Option 2. Leadership extraction practices | 1 |
| | Cr. 5. Construction and Demolition Waste Management | 2 |
| INDOOR ENVIRONMENTAL QUALITY | Cr. 2. Low Emitting Materials | 3 |
| | Cr.3. Construction Indoor Air Quality Management Plan | 3 |
| | Cr.4. Indoor Air Quality Assessment Option 2. Air testing | 3 |

Referring to **BREEM** Certification System :

| Section | Subsection | Evidence in this document |
|--------------|--------------------------------------|---------------------------|
| HEALT | Hea02_ Indoor Air Quality | 3 |
| WASTE | Wst01_ Construction Waste Management | 2 |

Signature: Bernardo Llopis
Quality Management Manager

1) Ceramic Tiles are not affected by REACH.

ROCA guarantees that the substances contained in the products served are properly registered, according with the requirements of REACH, please note the following:

- Ceramic tiles are articles according to REACH, therefore they do not require registration under the Regulation.
- As intermediate users of chemicals during production process, ROCA ensures that the substances contained in the tiles are properly pre-registered by our suppliers.
- Our products do not contain any "extremely worrying" substances in the amounts indicated in the regulation.

2) Waste Management

Before installing:

The packaging of a tile is the following:

- Carton box: Can be easily recycled when it's deposited in the paper container.
- Plastic protection: Can be easily recycled when it's deposited in the plastic container.
- Pallet: Can be deposited in a recycling center.

Demolition waste:

Once the tile has been uninstalled, it can be deposited in the inert container.

3) Indoor Air Quality

Tiles are fired at very high temperatures, usually over 1000°C. At such high temperatures, any organic compound that might be present in clays is completely burned away. As a result, the final product is inert and has no VOCs that can be emitted.

Due to its VOC-free nature, ceramic tile products are exempt from all testing criteria specified by LEED Credit 4.3.

Signature: Bernardo Llopis
Quality Management Manager