
ARCHITETTO ANGOLO CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-ANGOH0

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO ANGOLO CARRARA BELLA (H) *Stone, Marble*



PART NUMBER
MB1604-ANGOH0

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO ANGOLO ASH GRAY (H) *Stone, Marble*



PART NUMBER
MB1809-ANGOH0

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO ANGOLO CARRARA BELLA (H) W/ STAINLESS STEEL *Stone, Marble, Metal, Mixe*



PART NUMBER
MB1604-ANGOH1

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Stainless steel may scratch when used as floor covering	Yes	No	No	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO ANGOLO CALACATTA (H) W/ BRASS *Stone, Marble, Metal, Mixed Media*



PART NUMBER
MB1203-ANGOH1

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Brass may scratch when used as floor covering	Yes	No	No	No	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

AS A NATURAL MATERIAL, BRASS IS PRONE TO OXIDATION; A CHEMICAL REACTION THAT OCCURS OVER TIME FROM EXPOSURE TO AIR.

For detailed installation instructions, visit akdo.com.

ARCHITETTO COMPASSO CALACATTA (H&SB) *Stone, Marble*



PART NUMBER
MB1203-COMP00

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO COMPASSO CARRARA BELLA (H&SB) *Stone, Marble*



PART NUMBER
MB1604-COMPO0

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO COMPASSO ASH GRAY (H&SB) *Stone, Marble*



PART NUMBER
MB1809-COMPO0

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO COMPASSO CARRARA BELLA (H) W/ STAINLESS STEEL *Stone, Marble, Metal, M*



PART NUMBER
MB1604-COMPHO

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Stainless steel may scratch when used as floor covering	Yes	No	No	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO COMPASSO CALACATTA (H) W/ BRASS *Stone, Marble, Metal, Mixed Media*



PART NUMBER
MB1203-COMPHO

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Brass may scratch when used as floor covering	Yes	No	No	No	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

AS A NATURAL MATERIAL, BRASS IS PRONE TO OXIDATION; A CHEMICAL REACTION THAT OCCURS OVER TIME FROM EXPOSURE TO AIR.

For detailed installation instructions, visit akdo.com.

ARCHITETTO MODULO CALACATTA (H&P) *Stone, Marble*



PART NUMBER
MB1203-MODU00

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1.0 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO MODULO CARRARA BELLA (H&P) *Stone, Marble*



PART NUMBER
MB1604-MODU00

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1.0 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO MODULO ASH GRAY (H&P) *Stone, Marble*



PART NUMBER
MB1809-MODU00

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1.0 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Yes	Yes	No	Yes when properly sealed	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO MODULO CARRARA BELLA (H) W/ STAINLESS STEEL *Stone, Marble, Metal, Mixed*



PART NUMBER
MB1604-MODUHO

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1.0 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Stainless steel may scratch when used as floor covering	Yes	No	No	Yes when properly sealed	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
DCOF		ANSI A137.1
TRAFFIC	Standard Commercial	NA

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ARCHITETTO MODULO CALACATTA (H) W/ BRASS *Stone, Marble, Metal, Mixed Media*



PART NUMBER
MB1203-MODUHO

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1.0 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

ENVIRONMENTS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	REPEAT
Yes	Brass may scratch when used as floor covering	Yes	No	No	No	No	

TECHNICAL DATA

FEATURES	SPECIFICATION	STANDARD
TRAFFIC	Standard Commercial	NA

AS A NATURAL MATERIAL, BRASS IS PRONE TO OXIDATION; A CHEMICAL REACTION THAT OCCURS OVER TIME FROM EXPOSURE TO AIR.

For detailed installation instructions, visit akdo.com.