




GRACE

WOW



WOW

GRACE

What are nowadays buyers searching for?
Affinity? Functionality? Harmonization? Freshness?

Grace collection is diversity in colour.
Is Oval and Rectangular.
Is the chance to shape your view.

As the main characters, translucent crystalline deep glazes
and the smoothest mats which do not reflect any light.

look at things from a different perspective !



Grace

7,5x30 cm / 3"x12"



Sand Matt

Sand Gloss



White Matt

White Gloss



Berry Matt

Berry Gloss



Blush Matt

Blush Gloss



Teal Matt

Teal Gloss



Sage Matt

Sage Gloss



Grey Matt

Grey Gloss

Grace O

7,5x30 cm / 3"x12"



White Matt

White Gloss



Sand Matt

Sand Gloss



Blush Matt

Blush Gloss



Berry Matt

Berry Gloss



Sage Matt

Sage Gloss



Teal Matt

Teal Gloss



Grey Matt

Grey Gloss

ROUNDED EDGE
1,1x30 cm / 0.43"x12"




Available in all Colours / Disponible en todos los colores

GRACE Blush Matt & Gloss
GRACE White Matt & Gloss
Floor tiles: Love Affairs Collection



GRACE Sage Matt & Gloss
Floor tiles: Cement Collection





GRACE O Teal Matt
GRACE White Matt
Floor tiles: Six Collection



GRACE O Sage Matt
GRACE Teal Matt
Floor tiles: Flow Collection

GRACE & GRACE O Grey Matt
GRACE ROUNDED EDGE Grey Matt
Floor tiles: Drops Collection




GRACE Sand Matt & Gloss
Floor tiles: 60° Collection





GRACEO Berry Matt & Gloss
Floor tiles: Six Collection




GRACEO White & Sand & Sage Gloss
Floor tiles: Drops Collection





GRACE Teal Matt & Gloss
GRACE Blush Matt & Gloss
Floor tiles: Flow Collection





GRACE Berry Matt
GRACE Blush Matt
Floor tiles: Cement Collection

GRACE O & GRACE Teal Matt
Floor tiles: Drops Collection



GRACE O White Gloss





BEFORE INSTALLING THE PRODUCT

The surface where the product is being installed must be clean and level. It is recommended that the layout of the product is prepared before the final installation. Make sure you choose an adhesive apt for the area where the product is being installed. For installation on porous surfaces we recommend: Kerakoll Special® Eco, and for Non-porous surfaces: Kerakoll serie H40® Eco.

The choice of quality grouting mortar is crucial. We recommend Kerakoll Fugabella® Color. (www.kerakoll.com)

TO ENHANCE YOUR WOW PRODUCT

In order to obtain the maximum WOW effect, use 1 mm - 0.039 in spacers between the tiles to maintain an even installation over the whole surface. The colour of the grout should be as close as possible to the colour of your product. Once the area has been grouted, and before the grout dries, remove any excess material with a damp sponge.

MAINTENANCE

Maintenance free. Easy and practical to care for, due to the high standard of technical characteristics in each WOW ceramic product. Avoid abrasive or acidic cleaning products. It is recommended to clean with clear water.

ANTES DE LA COLOCACIÓN

Preparar la superficie sobre la que se va a colocar tu producto WOW. Debe estar limpia y aplomada. Se recomienda plantear la colocación, previo a su instalación. Elegir el material de agarre en función de las características de la superficie. Se recomienda para colocación general en superficies porosas: Kerakoll special® Eco. y para superficies no porosas como el pladur: kerakoll serie H40® Eco.

Es importante la elección de un material de rejunte de calidad. WOW recomienda utilizar el material de rejunte Kerakoll fugabella® Color (www.kerakoll.com), cuyas características son especialmente adecuadas para este revestimiento.

PARA ENSALZAR EL ASPECTO DE TU PRODUCTO WOW

Se recomiendan separadores de 1 mm para colocar las piezas y conseguir de esta forma un aspecto WOW óptimo. También es aconsejable que el color de rejuntado sea similar al color del producto elegido. Una vez rejuntado el producto, y antes de que se endurezca, retirar el material sobrante de rejuntado con una esponja mojada en agua.

MANTENIMIENTO

Práctico y sencillo de limpiar, dadas las excelentes características técnicas del producto WOW, tan sólo es necesario un cuidado rutinario, evitando la utilización de productos abrasivos o ácidos. Se recomienda limpiar exclusivamente con agua limpia.

| | | | KG | M2 | | M2 |
|---------------|--------------|---------------|-----------|-----------|---------------|------------|
| Modelo | Formato (cm) | Piezas / Caja | Kg / Caja | m2 / Caja | Cajas / Palet | m2 / Palet |
| GRACE GLOSS | 7,5x30 | 20 | 6,951 | 0,444 | 132 | 58,608 |
| GRACE MATT | 7,5x30 | 22 | 7,116 | 0,488 | 132 | 64,416 |
| GRACE O GLOSS | 7,5x30 | 20 | 6,697 | 0,444 | 132 | 58,608 |
| GRACE O MATT | 7,5x30 | 22 | 6,727 | 0,488 | 132 | 64,416 |
| ROUDED EDGE | 1,1x30 | 10 | 0,394 | 3,005 m | 230 | 691,15 m |

| | | | LB | FT2 | | FT2 |
|---------------|-------------|--------------|---------|-------------|----------------|----------------|
| Model | Format (in) | Pieces / Box | Lb/ box | sq ft / Box | Boxes / Pallet | sq ft / Pallet |
| GRACE GLOSS | 3"x12" | 20 | 15.324 | 4.779 | 132 | 630.828 |
| GRACE MATT | 3"x12" | 22 | 15.688 | 5.253 | 132 | 693.396 |
| GRACE O GLOSS | 3"x12" | 20 | 14.764 | 4.779 | 132 | 630.828 |
| GRACE O MATT | 3"x12" | 22 | 14.831 | 5.253 | 132 | 693.396 |
| ROUNDED EDGE | 0.43"x12" | 10 | 0.869 | 9.859 ft | 230 | 2267.57 ft |


| TECHNICAL FEATURES FOR DRY-PRESSED CERAMIC TILES WITH WATER ABSORPTION BIII (E _b >10%) CARACTERÍSTICAS TÉCNICAS PARA LAS BALDOSAS CERÁMICAS PRENSADAS EN SECO CON ABSORCIÓN DE AGUA BIII (E _b >10%) | | | |
|--|---|--------------------------|--|
| FEATURES / CARACTERÍSTICAS | SPECIFICATION / ESPECIFICACIÓN | NORMA | |
| Dimensional Features | (W 74 mm +/- 0,75 mm x 300 mm +/- 0,5 %) GL | UNE-EN ISO 10545-2:1998 | |
| Water absorption | >10% | UNE-EN ISO 10545-3:1997 | |
| Modulus of rupture and breaking strength | Minimum 15 N/mm ² Individual Minimum 12 N/mm ² | UNE-EN ISO 10545-4:2012 | |
| Crazing resistance | Pass | UNE-EN ISO 10545-11:1997 | |
| Household products resistance | GA | UNE-EN ISO 10545-13:1998 | |
| Chemical resistance | GHA | UNE-EN ISO 10545-13:1998 | |
| Stain resistance | 5 | UNE-EN ISO 10545-14:1998 | |

Designed by



Polígono Pont, Avda. de España 114
12180 Cabanes,
Castellón (Spain)
t. +34 964 331 910 / f. +34 964 331 911

www.wowdesigneu.com
comercial@wowdesigneu.com



©2021 Tendencias Cerámicas
WOW, registered trademark of Tendencias Cerámicas, S.L.

The brand use or reproduction of the contents of this catalog, is protected by copyright law. Any use of the brand or reproduction thereof, in part or total, must be authorized by Tendencias Cerámicas, S.L. Otherwise, this action can be sanctioned according to the Law.


©2021 Tendencias Cerámicas
WOW, marca registrada por Tendencias Cerámicas, S.L.

La utilización de la marca o la reproducción del contenido de este catálogo está protegida por la Ley de Propiedad Intelectual. Cualquier uso de la marca o la reproducción del mismo, en parte o en su totalidad, debe ser autorizada por Tendencias Cerámicas, S.L., pudiendo, en caso contrario, ser esta acción sancionada de acuerdo con la Ley.

WOW reserves the right to modify and/or discontinue certain models displayed in this catalogue.
The colour of the pieces displayed herein may differ slightly from originals.
The settings shown in this catalogue are design proposals for advertising purposes.
In real situations in which the pieces are laid, the installation instructions published by WOW should be followed.

WOW se reserva el derecho de modificar y/o suprimir ciertos modelos expuestos en este catálogo sin previo aviso.
Los colores de las piezas pueden presentar ligeras diferencias respecto a las originales.
Los ambientes que se muestran en este catálogo son sugerencias decorativas de carácter publicitario,
debiéndose utilizar en la instalación real las instrucciones de colocación editadas por WOW.





Designed by



wowdesigneu.com