

WISH COVET CALACATTA (H) W/ BRASS *Stone, Marble*



PART NUMBER

MB1203-COVTH0

PROFILE

TILE

AVAILABILITY

IN STOCK

DIMENSIONS

9.84" x 9.84" = 0.672 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	No	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH COVET CARRARA BELLA (H) W/ STAINLESS STEEL *Stone, Marble*



PART NUMBER
MB1604-COVTH0

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
9.84" x 9.84" = 0.672 sqft

NOTES
Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH COVET TULIP BLACK (H) W/ STAINLESS STEEL *Stone, Marble*



PART NUMBER
MB1187-COVTH0

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
9.84" x 9.84" = 0.672 sqft

NOTES
Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH CRAVE CALACATTA (H/P) *Stone, Marble*



PART NUMBER

MB1203-CRAVHO

PROFILE

TILE

AVAILABILITY

IN STOCK

DIMENSIONS

7.87" x 7.87" = 0.43 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE
SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH CRAVE CARRARA BELLA (H/P) *Stone, Marble*



PART NUMBER
MB1604-CRAVHO

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.87" x 7.87" = 0.43 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH CRAVE TORRENT (H/P) *Stone, Marble*



PART NUMBER
MB2346-CRAVHO

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.87" x 7.87" = 0.43 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH CRAVE WINDSTORM (H/P) *Stone, Marble*



PART NUMBER
MB2345-CRAVHO

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.87" x 7.87" = 0.43 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH DESIRE CALACATTA (H) W/ BRASS *Stone, Marble*



PART NUMBER
MB1203-DESRH0

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.81" x 9.00" Hexagon = .366 sqft

NOTES
Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	No	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH DESIRE CARRARA BELLA (H) W/ STAINLESS STEEL *Stone, Marble*



PART NUMBER
MB1604-DESRHO

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.81" x 9.00" Hexagon = .366 sqft

NOTES
Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH DESIRE TULIP BLACK (H) W/ STAINLESS STEEL *Stone, Marble*



PART NUMBER
MB1187-DESRH0

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.81" x 9.00" Hexagon = .366 sqft

NOTES
Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH HOPE CALACATTA (H) W/ BRASS *Stone, Marble*



PART NUMBER
MB1203-HOPEH0

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.87" x 7.87" =0.43 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Yes	Yes	Standard Commercial	No	No	No	No	YES - Heat not to exceed 176 °F	YES - Heat not to exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH HOPE CARRARA BELLA (H) W/ STAINLESS STEEL *Stone, Marble*



PART NUMBER
MB1604-HOPEHO

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.87" x 7.87" = 0.43 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA


WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH HOPE TULIP BLACK (H) W/ STAINLESS STEEL *Stone, Marble*



PART NUMBER
MB1187-HOPEH0

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.87" x 7.87" =0.43 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH IMAGINE CALACATTA (H/P) *Stone, Marble*



PART NUMBER
MB1203-IMAGHO

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.87" x 7.87" = 0.43 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH IMAGINE CARRARA BELLA (H/P) *Stone, Marble*



PART NUMBER
MB1604-IMAGHO

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.87" x 7.87" = 0.43 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA


WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

WISH IMAGINE TORRENT (H/P) *Stone, Marble*



PART NUMBER
MB2346-IMAGHO

PROFILE
TILE

AVAILABILITY
IN STOCK

DIMENSIONS
7.87" x 7.87" = 0.43 sqft

NOTES

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.

APPLICATION AREA

WALL	FLOOR	TRAFFIC	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH
Yes	Yes	Standard Commercial	No	YES - when properly sealed	Yes	No	YES - Heat not to exceed 176 °F

FIREPLACE SURROUND

YES - Heat not to
exceed 176 °F

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.